

Seminar Internasional

Dari: seminar STTNAS (seminar@itny.ac.id)

Kepada: hermawandeni999@gmail.com; hilghartono@sttnas.ac.id; hillary.kristarani@mail.ugm.ac.id; ibnu_sopwan@yahoo.com; ikarestuningtyas@gmail.com; Immasnurhayati1@gmail.com; Indimery96@gmail.com; indraonegunawan@gmail.com; intansviany@gmail.com; ismi.aiman@gmail.com; iyananggertyo.ftik@hangtuah.ac.id; jokoriyono@yahoo.com; Karlina.karlhy22@gmail.com; khotijah_2006@yahoo.co.id; komang@mining.itb.ac.id; Kopurwo@gmail.com; krishariyanto76@gmail.com; kusworo@staff.uajy.ac.id; latif.mawardi@elektro.pnj.ac.id; listyani_theo@yahoo.co.id; maharaniwidara@gmail.com

Tanggal: Jumat, 19 Juli 2019 14.49 WIB

Kepada Yth
Bapak/Ibu/Sdr Ilmuwan/Peneliti/Birokrat/Mahasiswa

Dengan hormat,

Sehubungan akan diadakannya *International Conference on Industrial Technology and Information Designs* (ICITID) oleh Institut Teknologi Nasional Yogyakarta yang akan dilaksanakan pada:

Hari/Tanggal : Sabtu, 26 Oktober 2019
Waktu : 08.00 – 17.00 WIB
Tempat : Sahid Jaya Hotel & Convention
Jl. Babarsari, Caturtunggal, Depok, Sleman, Yogyakarta 55281
Tema : *Industrial Revolution 4.0: Transfers and Capacity of Technopreneur*
Keynotes Speaker : 1. Prof. Hj. Dr. Zainal Alimuddin Zainal Alauddin
(Universiti Sains Malaysia, Malaysia)
2. Prof. Ing-Song Yu
(National Dong-Hua University, Taiwan)

Untuk itu kami berharap kepada Bapak/Ibu/Saudara berkenan berpartisipasi pada acara Seminar yang kami selenggarakan baik sebagai pemakalah maupun peserta.

Sebagai tambahan informasi semua artikel ilmiah yang diseminarkan akan dipublikasikan di *IOP Conference Series (indexed by Scopus)* dan artikel ilmiah terpilih akan diterbitkan di jurnal ilmiah terindeks Scopus.

Demikian undangan kami sampaikan, atas perkenan dan perhatiannya disampaikan terima kasih.

Sekretariat:
International Conference on Industrial Technology and Information Designs (ICITID)

INSTITUT TEKNOLOGI NASIONAL YOGYAKARTA
Jl. Babarsari, Caturtunggal, Depok, Sleman, Yogyakarta 55281
Telp. (0274) 485390, 486986 / fax. (0274) 487249

e-mail: seminar@itny.ac.id
website: icitid.itny.ac.id

Kontak Person:

Ani Apriani, S.S.,M.Sc (081392870276)
Sunah, S.E. (087838848465)



Poster ICITID.jpg
4.1MB

Fwd: [REMINDER : ICITID 2019 Invitation and Schedule]

Dari: icitid itny (icitid@itny.ac.id)

Kepada: listyani_theo@yahoo.co.id

Tanggal: Kamis, 24 Oktober 2019 21.59 WIB

----- Forwarded message -----

Dari: icitid itny <icitid@itny.ac.id>

Date: Kam, 24 Okt 2019 pukul 21.57

Subject: [REMINDER : ICITID 2019 Invitation and Schedule]

To: <bagoesswastiko24@gmail.com>, Novandri Kusuma <novandri.kusuma@itny.ac.id>, Cahya Damayanti <cakra.cahya@gmail.com>, Dr. Imam Kambali <imamkey@batan.go.id>, Rivan Muhfidin <rivanmuhfidin@gmail.com>, <alhussein.rizqi@yahoo.com>, <herusuharyadi34@gmail.com>, asri mariza <marizaasri1@gmail.com>, <fatim_miharna@yahoo.com>, Listiani RA <lis@sttnas.ac.id>, Akhmad Zamroni <akhmadzamroni@itny.ac.id>, <bardi_sttnas@yahoo.com>, <adeindra@itp.ac.id>, Archit Fadhilah <archit.fad@gmail.com>, <nof.hand11@gmail.com>, Wasino Wasino <wasino@fti.untar.ac.id>, wahyudi tinom <wahyuditinom@elektro.undip.ac.id>, <achmad.hidayatno@gmail.com>, RIZQI PRASTOWO <rizqi@itny.ac.id>, <ridayati@gmail.com>, Sugiarto Kadiman <sugiarto.kadiman@itny.ac.id>, ANI APRIANI <aniapriani@itny.ac.id>, Daru Sugati <daru.tm@itny.ac.id>, Tugino STTNAS <tugino@itny.ac.id>, Okki Verdiansyah <okki.verdiansyah@sttnas.ac.id>, <yudidito@gmail.com>, Hita Pandita <hita@sttnas.ac.id>, <rinaldy.mesakh.k@mail.ugm.ac.id>, HIDAYATULLAH SIDIQ <hidayatullah@itny.ac.id>, Siti Nuraini <siti.nuraini@itny.ac.id>, <hendro.purnomo.hpu@gmail.com>, Adi Prabowo <adi.prabowo@sttnas.ac.id>, <djohan_gh@yahoo.com>, BAYUROHMAN PANGACELLA <bayurohman@itny.ac.id>, BAYUROHMAN PANGACELLA <bayurohman@sttnas.ac.id>

Dear Mr / Mrs Presenters of ICITID 2019

We kindly inform you that your paper has been reviewed and accepted to be presented at *International Conference on Industrial Technology and Information Designs (ICITID) 2019* to be held,

Date : 26 October 2019

Time : 08.00 – 16.40 (Please see appendix below)

Venue : Sahid Jaya Hotel & Convention.

Babarsari, Caturtunggal, Depok, Sleman, Yogyakarta 55281, Indonesia

We cordially invite you to attend our conference and present your research. Please prepare your presentation file and submit it to the staff when the registration time.

Thank you



invitation.pdf
396.6kB



Parallel class schedule.pdf
365.1kB



**INTERNATIONAL CONFERENCE
ON INDUSTRIAL TECHNOLOGY AND INFORMATION DESIGN (ICITID)**
INSTITUT TEKNOLOGI NASIONAL YOGYAKARTA
Jl. Babarsari, Caturtunggal, Depok, Sleman Yogyakarta, Indonesia 55281
Telp.(0274) 485390 Fax. (0274) 487249
Email : Seminar@itny.ac.id, Website : <https://icitid.itny.ac.id>



Number : 32/Pan.ICITID-ReTII14/ITNY/X/2019
Appendix : 1 page
Case : ICITID Conference Presenters Invitation

Dear Mr / Mrs Presenters of ICITID 2019

We kindly inform you that your paper has been reviewed and accepted to be presented at *International Conference on Industrial Technology and Information Designs (ICITID) 2019* to be held,

Date : 26 October 2019
Time : 08.00 – 16.40 (Please see appendix below)
Venue : Sahid Jaya Hotel & Convention.
Babarsari, Caturtunggal, Depok, Sleman, Yogyakarta 55281, Indonesia

We cordially invite you to attend our conference and present your research. Please prepare your presentation file and submit it to the staff when the registration time.

Thank you

Yogyakarta, 22 October 2019

The committee chairman



Dr. Ir. Sugiarto, MT



INTERNATIONAL CONFERENCE ON INDUSTRIAL TECHNOLOGY AND INFORMATION DESIGN (ICITID)

INSTITUT TEKNOLOGI NASIONAL YOGYAKARTA
Jl. Babarsari, Caturtunggal, Depok, Sleman Yogyakarta, Indonesia 55281
Telp.(0274) 485390 Fax. (0274) 487249
Email : Seminar@itny.ac.id, Website : <https://icitid.itny.ac.id>



RUNDOWN

International Conference on Industrial Technology and Information Designs (ICITID)
Oct,26,2019

NO	TIME	EVENT	EVENT DETAIL	Rooms
1	07.30 – 08.15	Registration	Collect presentations	Bima Room 1&2
2	08.15 – 09.00	Parallel Session I:	See Technical (Parallel Session I Schedule)	Arjuna Room 1
				Arjuna Room 2
				Gatotkaca Room
3	09.00 – 09.15	Coffee Break I		Bima Room 1&2
4	09.15 – 09.25	Opening Ceremony	Greeting from the chairman of the seminar committee By : Dr. Ir. Sugiarto, M.T	
			Official Opening by the Rector of ITNY By : Dr. Ir. Ircham, M.T	
5	09.35 – 10.35	1 st Keynote Speaker	Prof. H. Zainal A from University Sains Malaysia Penang Malaysia	
6	10.35 – 11.35	2 st Keynote Speaker	Prof. Ing Song Yu from NDHU, TAIWAN	
7	11.35 – 11.45	Announcement of award winner	Announcement of award winner and Photo Session	
8	11.45 – 13.00	Lunch		Sahid Resto
9	13.00 – 14.20	Parallel Session II:	See Technical (Parallel Session II Schedule)	Parallel Class
10	14.20 – 14.25	Closing Ceremony	Closing by a moderator	Parallel Class
10	14.25 – 14.40	Coffee Break II		Bima Room 1&2
11	14.40 – 16.40	Coaching	Reviewers	Bima Room 1&2



Listiani RA <lis@itny.ac.id>

[ICITID 2021] Your Camera-ready submission has been successfully uploaded

ICITID 2021 <noreply@eai.eu>

23 September 2021 15.22

Kepada: T Listyani R A1 <lis@itny.ac.id>

Dear T Listyani R A1,

This is to confirm that you have successfully completed the Camera-ready submission of your paper:

Analysis of groundwater quality for clean water supply in the water critical area of Kronggen Village, Brati, Grobogan District

to ICITID 2021, International Conference on Industrial and Technology and Information Design

Please note that for an online EAI conference, you are required to submit a video presentation of your paper. Check the conference website for instructions on how to record and submit your video presentation before the set deadline. This only applies to conferences organized and sponsored by EAI.

We hope to see you at ICITID 2021!

By taking part in ICITID 2021, you help advance EAI's mission toward open research and innovation via community-driven mentorship, review, recognition, and building a bridge between European and International research.

Thank you for being a part of the EAI Community.

--

This email was sent automatically by Confy on behalf of the Organizing Committee and EAI's Conference Management team. Please do not reply to this email. If you require assistance, please go to <http://help.eai.eu/>.

Analysis of groundwater quality for clean water supply in the water critical area of Kronggen Village, Brati, Grobogan

By Listiyani Retno Astuti

Analysis of groundwater quality for clean water supply in the water critical area of Kronggen Village, Brati, Grobogan District

Luziana Febby Nurwinandari¹ and T Listyani R A^{1*}

¹Geological Engineering Department, Institut Teknologi Nasional Yogyakarta

*lis@itny.ac.id

Abstract. Groundwater quality which has been set in the Health Ministry Regulation number 492/Menkes/Per/IV/2010 has a maximum value limit to be considered feasible. This requirement becomes the standard for the feasibility of groundwater so it can be used for public consumption, including in the pH and TDS values. Kronggen area, in Brati Subdistrict, Grobogan Regency is a critical water area, therefore a groundwater feasibility study is needed. The objective of this research is to determine the quality of the groundwater in the area, by conducting hydrochemical measurements in the field. Result of the research shows that the groundwater in Kronggen has pH of 6.4 - 7.7, the TDS of 311 – 3,539 ppm and EC of 612 – 7,078 $\mu\text{S}/\text{cm}$. These values indicate the nature of groundwater which is fresh to moderately saline, and most of the samples show groundwater in the medium - poor quality class.

Keywords: groundwater, quality, pH, TDS, EC

1. Introduction

Groundwater is water that moves / flows in the pores between the grains of soil or rock which is known as an aquifer [1]. Groundwater quality can be determined based on the content of chemical elements / compounds contained in it. The dissolution or content of these elements / compounds is strongly influenced by rock genetic and groundwater - rock interactions. Over geological time, groundwater which flows through aquifer layers will cause various processes that affect the dynamics of groundwater characteristics [2].

Kronggen Village is located in the Brati Subdistrict, Grobogan Regency (Figure 1). Grobogan Regency is one of the dry areas, has relief from the plains to karst hills. This regency, which is located between the eastern part of the North Coast and the upstream area of Bengawan Solo, has a climate type D which has 1 - 6 dry and 1 - 6 wet months [3]. The development of Grobogan Regency in various aspects has resulted in the increasing need for clean water, which until now still relies on groundwater. The current reality shows that in the dry season, Grobogan Regency often experiences drought [3]. One of the efforts to overcome this problem is by utilizing groundwater optimally so that it becomes a solution to fulfill the needs of clean water.

In this case, it is important to conduct research related to the feasibility of groundwater quality related to its utilization, both as raw water and processed water that is ready for distribution. The level of damage to groundwater conditions and environment can be analyzed by measuring the parameters

of acidity (pH), Total Dissolve Solid (TDS) and electrical conductance (EC). The results of the hydrochemical study in the study area are expected to provide an overview of the quality of groundwater in the Kronggen and its surroundings area.



Figure 1. Observation locations of research.

2. Methodology

The method of research includes three stages, namely literature review, field hydrogeological survey and hydrochemical analysis. The field survey is intended as an activity to describe and collect groundwater quality data. This study uses primary data in the form of hydrochemical variables of groundwater quality, including physical (color, taste, odor) and chemical (pH, TDS and EC) characteristics. The research used topographic, geological and hydrogeological maps of Grobogan Regency. The hydrochemical equipment used were pH-meter, TDS-meter, and EC-meter. Data analysis was supported by ArcGIS, CorelDraw, Surfer 14 software with the Krigging method. The hydrochemical variables were analyzed by referring to the Minister of Energy and Mineral Resources Decree No. 1451.K /10/MEM/2000, concerning Technical Guidelines for Implementing Government Duties in the Field of Groundwater Management [4] as well as Health Ministry Regulation No. 492/MENKES/Per/IV/2010 concerning Requirements for Drinking Water Quality [5].

3. Literature Review

3.1. Geological of Research Area

Grobogan Regency is located in a valley between two limestone mountains, namely the Kendeng Mountains and the North Kars Mountains. Physiographically, the Grobogan area can be divided into three zones, namely the Rembang Anticlinorium (North), the Kendeng Anticlinorium (South) and the plains in the central part which is known as the Randublatung Depression [6].

The research area is included in the Regional Geological Map of the Salatiga Sheet, Java [7]. According to this geological map, the regional stratigraphy of Grobogan Regency consists of the following formations.

1. The alluvium formation (Qa), Holocene age, which consists of pebble, gravel, sand, clay, mud and plant remains, is the result of river and flood sediment from existing rivers, yellowish-gray and slightly blackish in color.
2. The Selorejo (Tps), Mundu and Tambakromo Formations, Pliocene in age, consist of claystone, marl and limestone.

3. The Ledok Formation (Tmpl), Upper Miocene age, consists of alternating calcarenite, sandstone and marl.
4. The Kalibeng and Bulu Formation (TmPk), Miocene in age, consists of solid marl at the top and limestone at the bottom.
5. The Wonocolo Formation (Tmw), Miocene in age, consists of marl with carbonate sandstones intercalation at the top and platy limestone at the bottom.
6. The Ngrayong Formation (Tmn), Miocene in age, consists of alternating claystone, carbonate sandstone and limestone at the bottom; and sandy claystone at the top.

The geological structures of this area are beddings of rock that have been folded. This geological structures occur mostly in rocks in the northern and southern parts of Grobogan, producing anticlines and synclines as well as strike slip and thrust faults.

3.2. Groundwater Quality

Groundwater quality is a qualitative condition that is measured or tested based on certain parameters and methods. Groundwater quality can be determined by the material it passes through, namely the type of soil and rock, the type of flow, and the process of physical, chemical and biological changes in water [1]. The concentration of dissolved material in groundwater can increase or decrease with the movement of water in the hydrological cycle. Thus, groundwater quality is determined by the environment that affects it during its journey [1,8]. The required groundwater quality depends on the intended use of the groundwater. The standards set for each requirement differ from one another [9]. The quality of groundwater that will be used for certain purposes must meet the predetermined requirements. The provisions or standards that must be met in a groundwater to be used for drinking water have been regulated in Health Ministry Regulation No. 492 / MenKes / Per / IV / 2010 [5]. The regulation stipulates a pH limit of 6.5 - 8.5, while TDS <500 mg / L is a requirement for drinking water.

4. Result and Analysis

4.1. Data Field

The measurement of the groundwater physical and chemical parameters. The physical parameters include color, smell, and taste; while the chemical parameters include pH, TDS and EC (Table 1). The groundwater measured from dug wells, so it is shallow groundwater. The map of the observation well location is presented in Figure 2, while the example of well appearance in the field can be seen in Figure 3.

Table 1. Field data of the physical / chemical properties of groundwater.

Loc.	Type	Color	Taste	Odor	pH	TDS	EC
W1	Well	Colorless	Moderately Saline	Odorless	6.6	3,091	6,181
W2	Well	Colorless	Moderately Saline	Odorless	6.6	3,539	7,078
W3	Well	Colorless	Moderately Brackish	Odorless	6.5	1,792	1,694
W4	Well	Colorless	Fresh	Odorless	7.7	311	612
W5	Well	Colorless	Fresh	Odorless	7.5	311	624
W6	Well	Colorless	Moderately Brackish	Odorless	6.8	3,025	6,050
W7	Well	Colorless	Moderately Brackish	Odorless	6.9	1,861	1,722
W8	Well	Colorless	Moderately Brackish	Odorless	6.6	1,811	3,434
W9	Well	Colorless	Moderately Brackish	Odorless	6.4	1,267	2,534
W10	Well	Colorless	Moderately Brackish	Odorless	6.4	1,576	1,954
W11	Well	Colorless	Moderately Brackish	Odorless	6.6	1,677	2,178




Figure 2. The location map of dug wells in research area (scale 1: 10,000).



Figure 3. One of the features of a dug well (W8).

4.2. Hydrochemical Characteristics

4.2.1. Acidity (pH)

The pH measurement of groundwater in the study area showed a value ranging from 6.4 to 7.7 (Table 1). There were 8 wells with acidic pH values (6.4 - 6.9) and 2 wells with slightly alkaline pH values (7.5 - 7.7). This pH value indicates that groundwater is relatively neutral to slightly acidic. This acidity is possible due to the influence of rainfall or organic substances in the soil. Groundwater in W9 and W10 does not comply with drinking water quality standards issued by the Minister of Health [5]. As for referring to the regulation of the Minister of Energy and Mineral Resources [4] where the maximum pH value is 7.5, then W4 can be categorized as having poor groundwater quality, while other wells are of medium quality. The pH map of groundwater is presented in Figure 4.




Figure 4. The map of groundwater pH distribution at the research area.

4.2.2. Total Dissolved Solid (TDS)

Map of TDS value of groundwater in research area is performed in Figure 5 below. The TDS value of groundwater usually indicate the groundwater condition levels [4]. Based on the Minister of Energy and Mineral Resources Decree No. 1451.K /10/MEM/2000, the maximum TDS value of groundwater as a recommended requirement for drinking water is 500 mg / L, and the maximum value allowed is 1,500 ppm. The quality of the groundwater in research area generally has a value > 1,500 ppm. According to the regulation, groundwater was generally of poor quality, except for W4 and W5 which were of good quality and W9 which were of medium one. Now, many water sources have critical value. TDS values that reach 1,500 mg / L are highly recommended not for human consumption. With a high TDS number, it is necessary to have further treatment.




Figure 5. TDS distribution map of groundwater in the research area.

4.2.3. Electrical Conductivity (EC)

The distribution of groundwater EC map in study area can be seen in Figure 6. Groundwater in the research area can be classified as moderately saline groundwater according to Hem (1970 in [10]), or brackish water according to Carroll (1962 in [1]), except for groundwater in W4 and W5 which is still fresh. The EC values of groundwater in the study area ranged from 612 - 7,075 $\mu\text{S}/\text{cm}$, indicating fresh to brackish groundwater. This poor quality of groundwater requires further treatment if it will be used as drinking water. High EC values can occur due to contamination or large dissolved salts of rock minerals.




Figure 6. The EC of groundwater distribution map of the research area.

4.3. Interpretation and Analysis

The shallow groundwater aquifers in Grobogan Regency are generally composed of limestone, marl, sandstone limestone, claystone and alluvial deposits which form the Randublatung depression [11]. The reaction of groundwater to the minerals in these rocks support the formation of brackish water. The aquifer's lithology supports high conductivity (EC) in water, so that the water will be brackish to salty taste [12]. The relatively alkaline groundwater in W4 may be influenced by the solubility of minerals in limestone, marl or sandy limestone. Thus, groundwater in the research area needs special treatment for groundwater so that it is suitable for consumption.

In general, the quality of groundwater in Kronggen area are of poor quality refers to government regulations [1, 2]. The analysis is mainly based on hydrochemical parameters of pH and TDS values (Table 2). From all dug wells studied, only one sample has good quality groundwater, two samples are of medium quality, the rest is of poor quality.

Table 2. Suitability of groundwater quality to government regulations [1,2] based on chemical parameters.

Well	pH		TDS		Resume of Quality
	6.5 - 8.5 [1]	≤ 7.5 [2]	Max Suggestion (500 ppm)	Max Permittion (1,500 ppm) [1]	
W1	√	√	X	X	Poor
W2	√	√	X	X	Poor
W3	√	√	X	X	Poor
W4	√	X	√	√	Moderate
W5	√	√	√	√	Good
W6	√	√	X	X	Poor
W7	√	√	X	X	Poor
W8	√	√	X	X	Poor
W9	X	√	X	√	Moderate
W10	X	√	X	X	Poor
W11	√	√	X	X	Poor

5. Conclusion

Based on the groundwater quality analysis, the Kronggen area at Brati Subdistrict, Grobogan Regency, Central Java show the groundwater that is not in accordance with water quality standards. This analysis is mainly based on chemical parameters such as pH, TDS, and EC. The pH value of groundwater is slightly acidic to neutral, or slightly alkaline. TDS and EC values of groundwater generally indicate the largely brackish, with the exception of two wells (W4 and W5) which have fresh groundwater. In accordance with the parameters required in Health Ministry Regulation No. 492 year 2010 and Minister of Energy and Mineral Resources Decree No. 1451.K/10/MEM/2000, groundwater in the research area is generally classified as medium - poor quality groundwater, with TDS values ranging from 311-3,539 ppm and EC from 612 - 7,078 μ S/cm.

Acknowledgment

The authors would like to thank to ITNY and especially the Geological Engineering Study Program for facilitating the publication of this paper.

References

- [1] Todd D K 1980 *Groundwater Hydrology* 2nd Ed. (New York: John Willey & Sons Inc.)
- [2] Kodoatie R J 1996 *Pengantar Hidrogeologi* (Yogyakarta: Penerbit Andi).
- [3] Rahayu E S and Irianto H 2013 Kajian Keragaan Pasar dan Daya Saing Komoditas Tembakau sebagai Dampak Perubahan Iklim di Kabupaten Grobogan, *Jurnal SEPA*, 9(2).
- [4] Minister of Energy and Mineral Resources of Republic Indonesia 2000 *Minister of Energy and Mineral Resources Decree Number 1451.K/10/MEM/2000 concerning Technical Guidelines for the Implementation of Government Duties in the Discipline of Groundwater Management*.
- [5] Health Ministry of Republic Indonesia 2010 *Health Ministry Regulation No. 492/MenKes/Per/IV/2010 concerning Quality Requirements of Drinking Water*.
- [6] Van Bemmelen R W 1949 *The Geology of Indonesia* Vol. 1A (The Hague, Netherland: Martinus Nijhoff).
- [7] Sukardi and Budhitrisna T 1992 *Geological Map of Salatiga Sheet, Java*, scale 1:100.000. (Bandung: Geological Research and Development Center).
- [8] Listyani R A T and Peni S N 2020 Potential of Water Pollution in Girimulyo, West Progo, 1st INCRID, Diponegoro University, Semarang, <https://iopscience.iop.org/article/10.1088/1755-1315/448/1/012038/pdf>.
- [9] Wijaya T, Saputra A A C, Putranto T T, and Kusuma I A 2017 *Studi Kerentanan Airtanah terhadap Pencemaran dan Pemompaan dengan Metode Groundwater Occurrence, Overlaying Lithology, dan Depth of Groundwater (GOD) di Kecamatan Grobogan dan Kecamatan Purwodadi, Kabupaten Grobogan, Provinsi Jawa Tengah*, Faculty of Engineering Diponegoro University.
- [10] Bouwer H 1978 Land Treatment of Wastewater in Today's Society, *Civil Engineering* 48(1) 78-81.
- [11] Yuwana N A J, Pandjaitan N H and Wasposito R S B 2017 Prediksi cadangan air tanah berdasarkan hasil pendugaan geolistrik di Kabupaten Grobogan, Jawa Tengah, *Jurnal Sumber Daya Air* 13(1), 23-36.
- [12] Mahida U N 1986 *Pencemaran dan Pemanfaatan Limbah Industri* (Jakarta: Rajawali).

Analysis of groundwater quality for clean water supply in the water critical area of Kronggen Village, Brati, Grobogan

ORIGINALITY REPORT

9%

SIMILARITY INDEX

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

★moam.info

Internet

2%

EXCLUDE QUOTES ON

EXCLUDE MATCHES OFF

EXCLUDE BIBLIOGRAPHY ON